AUG 2 5 2006

BACHMAN & LaPOINTE, P.C.

REGISTERED PATENT ATTORNEYS
SPECIALIZING IN INTELLECTUAL PROPERTY

SUITE 1201 900 CHAPEL STREET NEW HAVEN, CONNECTICUT 06510-2802

GREGORY P. LAPOINTE BARRY L. KELMACHTER (ALSO VA BAR) GEORGE A. COURY (ALSO NY BAR) WILLIAM B. SLATE (ALSO CA AND DC BARS) ROSS J. CHRISTTE (ALSO NY BAR) TIMOTHY J. LUBECKI (ONLY PA BAR) TELEPHONE (203) 777-6628 FAX (203) 865-0297 (203) 789-0582

2001

TELECOPIER COVER LETTER

To: USPTO

From: William B. Slate

FAX #: 571-273-8300

Date: August 25, 2006

Your Ref.: SN 10/821,097

Our Ref.: 03-603

Number of Pages including this sheet: 11

Confirmation Copy to Follow:

Yes

XX No

* Comments:

I hereby certify that this correspondence is being facsimile transmitted this 25^{th} day of August, 2006 to the USPTO, at Fax No. 571-273-8300.

Antoinetto Sullo

Please acknowledge receipt of this letter by email, telephone, telefax or telex and advise us if any pages are not readily legible or have not been received.

The information contained in this communication is confidential, may be attorney-client privileged, may constitute inside information, and is intended only for the use of the addressee. Unauthorized use, disclosure or copying is strictly prohibited and may be unlawful. If you have received this communication in error, please notify us immediately and destroy this transmittal.

BACHMAN & LAPOINTE, P.C. TELEPHONE: (203) 777-6628 TELEFAX: (203) 865-0297

2002

AUG 2 5 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

App. No.:

10/821,097

Att'y Docket:

03-603

Filing Date:

April 8, 2004

Conf No.:

8988

Inventor(s):

Alexander Lifson

Group Art Unit:

3744

Assignee:

Carrier Corporation

Examiner:

Chen Wen Jiang

Title:

COMPRESSOR

Correspondence Address: Customer Number 34704

AMENDMENT UNDER 37 C.F.R. 1.111

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Introductory Comments

In response to the Office Action mailed June 1, 2006, for which a response is due on September 1, 2006, please amend the application as follows: